UNITED STATES SECURITIES AND EXCHANGE COMMISSION

Washington, DC 20549

FORM 8-K

CURRENT REPORT
Pursuant to Section 13 or 15(d)
of the Securities Exchange Act of 1934

Date of Report (Date of earliest event reported): July 3, 2024

Windtree Therapeutics, Inc. (Exact name of registrant as specified in its charter)

Delaware (State or other jurisdiction of incorporation or organization) 001-39290 (Commission File Number)

94-3171943 (I.R.S. Employer Identification No.)

2600 Kelly Road, Suite 100, Warrington, Pennsylvania (Address of principal executive offices)

18976 (Zip Code)

| | | ` • · · · |
|---|--|---|
| Registrant's telephone number, | , including area code: (215) 488-9300 | |
| | Applicable dress, if changed since last report) | |
| Check the appropriate box below if the Form 8-K filing is intended to simultaneously satisfy the filing obligati | ion of the registrant under any of the following | provisions (see General Instruction A.2. below): |
| Written communications pursuant to Rule 425 under the Securities Act (17 CFR 230.425) Soliciting material pursuant to Rule 14a-12 under the Exchange Act (17 CFR 240.14a-12) Pre-commencement communications pursuant to Rule 14d-2(b) under the Exchange Act (17 CFR 240.14d-2(b) Pre-commencement communications pursuant to Rule 13e-4(c) under the Exchange Act (17 CFR 240.13e-4(c)) Securities registered pursuant to Section 12(b) of the Act: | | |
| Title of each class | Trading Symbol(s) | Name of each exchange on which registered |
| Common Stock, par value \$0.001 per share | WINT | The Nasdaq Capital Market |
| Indicate by check mark whether the registrant is an emerging growth company as defined in Rule 405 of the Sethis chapter). | ecurities Act of 1933 (§230.405 of this chapter) | |
| | | Emerging growth company |
| If an emerging growth company, indicate by check mark if the registrant has elected not to use the extended tra- | ansition period for complying with any new or | revised financial accounting standards provided pursuant to Section 13(a) |

Item 7.01 <u>Financial Statements and Exhibits.</u>

On July 3, 2024, the Company updated information reflected in a slide presentation, which is furnished as Exhibit 99.1 to this Current Report on Form 8-K and is incorporated herein by reference. Representatives of the Company will use the updated presentation in various meetings with investors from time to time.

The information contained in this Item 7.01 (including Exhibit 99.1) is being furnished and shall not be deemed "filed" for purposes of Section 18 of the Exchange Act, or otherwise subject to the liabilities of that section and shall not be deemed to be incorporated by reference in any filing under the Exchange Act, except as shall be expressly set forth by specific reference in such filing.

Item 9.01 Financial Statements and Exhibits.

(d) Exhibits

The following exhibits are being filed herewith:

| Exhibit No. | Document |
|----------------|--|
| 99.1 | Investor Presentation of Windtree Therapeutics, Inc. |
| 104 | Cover Page Interactive Data File (embedded within the Inline XBRL document). |

SIGNATURES

Pursuant to the requirements of the Securities Exchange Act of 1934, the registrant has duly caused this report to be signed on its behalf by the undersigned, thereunto duly authorized.

Dated: July 3, 2024 Windtree Therapeutics, Inc.

/s/ Craig E. Fraser Name: Craig E. Fraser Title: President and Chief Executive Officer



Windtree Therapeutics Investor Presentation

July 2024 Nasdaq: WINT



Forward-Looking Statements

This presentation includes forward-looking statements within the meaning of Section 27A of the Securities Act of 1933, as amended, and Section 21E of the Securities Exchange Act of 1934, as amended. These statements, among other things, include statements about the Company's clinical development programs, business strategy, outlook, objectives, plans, intentions, goals, future financial conditions, future collaboration agreements, the success of the Company's product development activities, or otherwise as to future events. The forwardlooking statements provide our current expectations or forecasts of future events and financial performance and may be identified by the use of forward-looking terminology, including such terms as "believes," "estimates," "anticipates," "expects," "plans," "intends," "may," "will," "should," "could," "targets," "projects," "contemplates," "predicts," "potential" or "continues" or, in each case, their negative, or other variations or comparable terminology, though the absence of these words does not necessarily mean that a statement is not forward-looking. We intend that all forward-looking statements be subject to the safe-harbor provisions of the Private Securities Litigation Reform Act of 1995. Because forward-looking statements are inherently subject to risks and uncertainties, some of which cannot be predicted or quantified and some of which are beyond our control, you should not rely on these forward-looking statements as predictions of future events. The events and circumstances reflected in our forward-looking statements may not be achieved or occur and actual results could differ materially from those projected in the forward-looking statements. These risks and uncertainties are further described in the Company's periodic filings with the Securities and Exchange Commission ("SEC"), including the Company's most recent reports on Form 10-K, and any subsequent quarterly reports on Form 10-Q and current reports on Form 8-K, and any amendments thereto ("Company Filings"). Moreover, we operate in an evolving environment. New risks and uncertainties may emerge from time to time, and it is not possible for management to predict all risks and uncertainties. Except as required by applicable law, we do not plan to publicly update or revise any forward-looking statements contained herein, whether as a result of any new information, future events, changed circumstances or otherwise.

Under no circumstances shall this presentation be construed as an offer to sell or as a solicitation of an offer to buy any of the Company's securities. In addition, the information presented in this deck is qualified in its entirety by the Company Filings. The reader should refer to the Company Filings for a fuller discussion of the matters presented here.



Windtree Investment Highlights



- Biopharmaceutical company focused on cardiovascular and oncology treatments intended to address markets with significant unmet need (NASDAQ: WINT)
- First in class, novel asset istaroxime has demonstrated positive efficacy and an attractive profile in three Phase 2 global studies, highlighted by improvements in cardiac function and increases in blood pressure with favorable renal function profile
- Istaroxime is in Phase 2b clinical development for cardiogenic shock (CS) and acute heart failure; cardiovascular platform also includes next generation oral, SERCA2a activators in preclinical development
- Expect top line results from istaroxime Phase 2b SEISMiC Extension Study in CS to be presented at a major cardiovascular meeting in late Q3 '24
- Cardiogenic shock is an estimated \$1.25B global market where patients have high mortality, morbidity and costs. It represents a significant opportunity for istaroxime because currently available drugs have undesirable side effects and can result in poor outcomes and there is a lack of competition in development or active competition in the market
- Global and regional license deals are in place with Windtree in active discussions on potential additional global license for cardiovascular assets
- Newly acquired first in class, novel, protein kinase C iota inhibitor oncology platform with both topical and oral formulations creates significant opportunity that we plan to advance this year
- Lean, capital efficient operation led by a highly experienced management team

Multi-Asset / Indication Pipeline with Several Near-Term Milestones

| Product Candidates | Indication | Phase | Development Status / Plans |
|---|--|-------------|--|
| Istaroxime (SERCA2a activator/ Na/K ATPase inhibitor) | Cardiogenic Shock | Phase 2b | Positive Phase 2 study Executing small follow-on studies intended to transition to Phase 3 |
| Istaroxime | Acute Heart Failure | Phase 2b | Positive Phase 2a and 2b data Augment AHF data with cardiogenic shock data, if positive and adequate, for Phase 3 for AHF with partnership Greater China regional license with Lee's Pharma who is advancing and paying for Phase 3 AHF program in territory |
| SERCA2a Activators (oral) | Chronic Heart Failure, including potentially HFpEF | Preclinical | Chronic and Acute Heart Failure Target for collaboration/partnership |
| aPKCi inhibitor (topical and oral) | Cutaneous and systemic treatment in broad and/or rare malignant diseases | Preclinical | IND enabling studies |
| Rostafuroxin | Treatment Resistant Hypertension – Genotypically identified patients | Phase 2b | Phase 2 data in hypertension Company holding development to out-license and reposition for the attractive and large Resistant Hypertension market |
| KL4 Surfactant and AEROSURF | KL4 surfactant Drug/Device Tx for RDS and potential other applications | Phase 2b | Global out-license in place Partner responsible for all costs of development |

Windtree Strategy for Value Creation – Deliver Data and Deals

1H 2024 Accomplishments

- ✓ FPI global Phase 2b Extension Study of istaroxime in Cardiogenic Shock
- √ \$138MM plus royalties' regional license secured for CV products
- ✓ Eliminated \$15MM in liabilities with Deerfield, added to shareholder equity
- ✓ Delivered positive data with istaroxime and the pure SERCA2a in arrythmias
- ✓ Started concomitant therapy Stage C study in more severe shock patients
- ✓ Acquired a novel pre-clinical atypical Protein Kinase C iota platform


2H 2024 Focus and Planned Deliverables¹

- Final data from istaroxime Phase 2b SEISMiC Extension Study in Cardiogenic Shock (CS)
- Advance istaroxime in Stage C CS
- Support our license partner start up of Phase 3 Acute Heart Failure study in Asia/PAC
- Secure a global license for istaroxime and SERCA2a activators
- > aPKCi inhibitor IND-enabling studies
- Explore additional acquisition and/or strategic transactions
- Drive capital efficacy with further material-level cash burn cuts and partnerships




WINDTREE 1) Assumes additional resourcing

Milestone Strategy for Value Creation





- * Study and guidance depends upon adequate funding or partnership
 ** Study and guidance pending positive EOP2 meeting and adequate funding
 *** Study and guidance pending positive EOP2 meeting and adequate funding (via partnership)





Istaroxime

Cardiogenic Shock
Potential to transform the standard of care for critical patients



Cardiogenic Shock - A Critical Condition Caused by a Failing Heart

A severe presentation of heart failure characterized by low blood pressure and inadequate blood flow to vital organs (hypoperfusion) accompanied by congestion and high filling pressures of the heart. It requires very urgent treatment.



- Most often requires pharmacological or mechanical intervention with key clinical objective to increase SBP to >90mmHg and improve tissue perfusion
- Cardiogenic shock patients typically require hospital intensive care and consume significant hospital resources
- High mortality (~20-30%) and substantial morbidity in survivors¹
- US + EU markets represent an ~\$1.0B market potential² with high unmet need
- Potential for relatively faster and less expensive developmental and regulatory pathway


1) Burgos, JSCAI (1) 2021Kotte D, American Heart Association; 2014 Jan 13; (rates associated with classic, stage C shock) 2) Estimates from claims data and epi data September 2021, multiplied by assumed various regional prices

Significant Unmet Need and Reported Desire for Istaroxime

- No satisfactory pharmacological intervention to reverse the condition
 - Available therapies have unwanted side effects such as risk for arrhythmias, decreasing blood pressure, renal dysfunction and even increases in mortality that limit their usefulness and position them as "rescue medicines"
- A therapy that can be used earlier to rapidly improve blood pressure and cardiac function without unwanted side effects is needed

Market research shows need and enthusiasm for istaroxime profile

100 U.S. Cardiologists questioned on degree of unmet need for new innovative pharmacologic treatments for ECS1




- ✓ 84% of the cardiologists responded they would be likely to extremely likely to use istaroxime for early cardiogenic shock patients
 - Majority responded they would position utilization before use of other existing classes of therapies such as inotropes and vasopressors



1) Market research conducted by Sermo, a leading provider of real time physician insights

Istaroxime - Novel First-in-Class Therapy

Novel intravenous agent designed to improve systolic contraction <u>and</u> diastolic relaxation of the heart



Istaroxime Cardiogenic Shock Program Came from AHF Phase 2 Trials and the Potential Attractive Regulatory Pathway

In Phase 2a and 2b data in AHF istaroxime demonstrated:



Cardiac Function Improved with Both Doses

- Significant increase in stroke volume (amount of blood expelled with each heartbeat)
- Lowered cardiac filling pressures



Increased in Systolic Blood Pressure



Increased Renal Function (eGFR)



Heart Rate Decreased

Favorable Heart Rhythm Profile Observed

 No increase in clinically significant arrythmias or ventricular tachycardia



SEISMiC Early Cardiogenic Shock Study

Clinical strategy: Start development with patients in early cardiogenic shock caused by severe heart failure



60 patients in early cardiogenic shock (SBP 75-90 mmHg) with AHF



Study drug was infused for 24 hours in a 1:1 randomization to placebo or istaroxime. Two istaroxime target doses were evaluated, 1.5 μ g/kg/min in the first group and 1.0 μ g/kg/min in the next group.



Primary endpoint was SBP AUC at 6 hours comparing istaroxime to placebo


Secondary measures included: SBP profile at 24 hours, echocardiology measures associated systolic and diastolic cardiac function, renal function, various safety and tolerability measures





Positive Results in the Early Cardiogenic Shock Study


Istaroxime Achieved Positive Primary Endpoint





Systolic BP Improvements Persisted over 24 Hours







Cardiac Function Improvement

Echocardiography demonstrated improvements in key systolic and diastolic cardiac function measures including:


- ✓ Cardiac index (amount of output from the heart over a minute) significantly increased
- ✓ Stroke volume (amount of blood from the heart with each heartbeat) substantially increased
 - (4 mL/m²) approaching statistical significance
- ✓ The strength and cardiac geometry of the heart improved including:
 - · Left atrial area was reduced
 - · Left ventricular end systolic volume was reduced
 - · Left ventricular end diastolic volume was reduced





Treatment was Associated with a Favorable Renal Profile


Renal function was not decreased in istaroxime treated patients



1.0 µg/kg/min Produced a Favorable Effect on SBP

1.0 µg/kg/min dosing was associated with:

- Early, rapid SBP increase and improvement in more echocardiographic assessments of cardiac function
- · More favorable adverse event, serious adverse event and clinical event profile





All Subjects (n=60)

SEISMiC Study Results Summary

- ✓ Systolic blood pressure significantly increased within the first 6 hours of initiating the infusion (p=0.017) and the increase was maintained throughout the 24-hour infusion (p=0.025)
 - SBP increases were rapid within the first hour and sustained through the 96-hour postinfusion measure
- ✓ Key secondary endpoints of systolic and diastolic cardiac function and performance were improved
- √ Renal function was maintained
- ✓ SEISMiC provided valuable information for optimizing our dose moving forward
- √ These data substantiate and advance the rationale for istaroxime as a potential treatment for cardiogenic shock and align with the existing data from the program in AHF



Cardiogenic Shock Development Strategy

Focus on thoroughness, speed and relatively low cost of trials

SEISMiC Study

- Completed, positive Phase 2 Study
- SCAI Stage B due to AHF

SEISMiC Extension Study

- Extended and titrated dosing for optimization
- Additional characterization of SERCA2a effect

Expected Steps to Phase 3 Readiness

SCAI Stage C

 Gain experience in more severe SCAI stage C patients with active comparator

Phase 3*

 Execute EOP2 meeting with these 3 studies augmented by AHF safety data base, etc.



* Study plans and progression to Phase 3 dependent upon regulatory alignment and resourcing

SEISMiC Extension Study Desired Results: Good Efficacy and Safety Data Support an Optimized Dose for Phase 3 Planning

- ✓ SBP significantly increased versus control with a profile of rapid correction that is sustained through the 96-hour post-infusion measure
- √ Secondary endpoints of cardiac function and performance improved
- ✓ Heart rate not significantly increased during the infusion.
- ✓ Renal function maintained
- ✓ Balanced safety profile (no clinically significant increase in arrythmias, etc.)





Cardiogenic Shock Represents a Significant Opportunity for Istaroxime and Windtree



Significant opportunity for Istaroxime to make a difference:


- ~20-30% mortality in classic shock and high morbidity
- Very long average length of hospital stay (~ 19.5 days¹) means high cost of hospital care (estimated >\$175k²) and creates opportunity for pharmacoeconomic benefits
- Currently available pharmacologic treatments have undesirable side effects and can result in poor outcomes
- ✓ Lack of competition in development or active competition in the market
- Attractive \$1.25B valuation of market potential versus time and cost of development supports potential deals



¹ US Hospital Claims Data, 2022

 $^{^2\,}Health care.gov, Department of\,Health\,\&\,Human\,Services\,, estimated\,from\,average\,cost\,of\,hospital\,stay$

 $^{^{3}}$ Long et al, USC Cardiology Review, Describing and Classifying Shock: Recent Insights, Sept 2021



Heart Failure -

A Large and Growing Market with Significant Mortality and Unmet Need

#1 cause of U.S.hospitalizationin patients> 65 years old

Annual Admissions

~1.3M u.s.

~1.5M E.U.



~7%
In-patient mortality
30-day mortality can exceed 10%

>\$18B
annual U.S. hospital costs

Most expensive of the Medicare diagnoses

New pharmacologic advancements in acute heart failure for decades

Lack of therapeutic advances led the FDA to issue new Heart Failure Guidance in July 2019 for greater development flexibility in acceptable endpoints, specifically acknowledging mortality is not required



Sources: American Heart Association; DRG Data

Istaroxime AHF Phase 2a & 2b Studies

Phase 2a







6 hou

n=**120** Dosing= ADHF Patients **0.5, 1, 1.5** μg/kg/min

6 hour Infusion

- · Primary: PCWP significantly improved
- · Stroke Vol & SBP significant increase
- Heart Rate (HR) lowered

Phase 2b

n=120
ADHF Patients
(dyspnea plus need for IV furosemide ≥ 40mg)

Dosing= **0.5, 1.0** µg/kg/min 24 hour Infusion

Results

Positive Phase 2 trial results demonstrated improved cardiac function without unwanted side effects of existing rescue therapies



Istaroxime – Acute Heart Failure

Development Strategy

Regional Strategy: Licensing Partner in Asia / Pac Intends to Start Phase 3 AHF Study

Global Phase 3 AHF Program Strategy



Augment our data from the positive phase 2a and phase 2b AHF studies with the efficacy, safety and dosing and characterization learnings from the extension and other studies in the severe AHF patients experiencing cardiogenic shock. If positive and adequate, move istaroxime into phase 3 for AHF.



Our strategy is to focus on treating heart failure patients with low blood pressure, who also tend to be diuretic resistant, as a patient population that we believe could particularly benefit from the unique profile and potential ability of istaroxime to increase cardiac function and increase blood pressure while maintaining or improving renal function.

Currently seeking partnership to finance global program



Next Generation, Oral SERCA2a Activators Platform has Potential for both Major Types of HF in Acute and Chronic Therapy

Today:

Istaroxime

- Dual Mechanism (SERCA2a & Na+/K+)
- IV only, Acute Heart Failure with Reduced Ejection Fraction (HFrEF) with normal / low blood pressure

<u>Development Strategy:</u>



Future:

Preclinical Dual Mechanism, (SERCA2a & Na+/K+) Activators

&

Preclinical Pure SERCA2a Activators

- Same mechanism as Istaroxime with potential for oral / chronic use
- Granted composition of matter IP (U.S. and EU)
- Strategy: Fast follow-on to Istaroxime in AHF; then add on hospital discharge / chronic use development
- Innovative pure SERCA2a activator (without the Na+/K+ mechanism) with newly granted composition of matter IP (EU)
- Develop for Heart Failure including Preserved
 Ejection Fraction (HFpEF) for chronic and acute use

| AHF | CHF |
|-----------|-------|
| Hospital, | Home, |
| i.v. | oral |
| HFrEF | |

| AHF | CHF |
|-----------|-------|
| Hospital, | Home, |
| i.v. | oral |
| HFrEF | HFpEF |



Atypical Protein Kinase C iota (aPKCi) Inhibitors Potential Multiple Tumor Types Innovative topical and oral formulations



Oncology Assets: aPKCi Topical (VAR-101) and Oral (VAR-102) Newly acquired, first in class atypical protein kinase C iota inhibitors (aPKCi)

√ Novel, emerging oncogenic target

- Protein kinase inhibitors are a class of anti-cancer therapeutics that have made a significant impact on the treatment of cancers.
- aPKCi is a promising atypical PKC iota isozyme with defined oncogenic role in multiple signaling pathways, and in the initiation and development of multiple tumor types
- aPKCi inhibitors represent a next generation of Hedgehog (Hh) pathway inhibitors targeting the most downstream component of the pathway and are fundamental components of the Hh resistance pathway

√ Advanced preclinical studies with early promising signals

- The active pharmaceutical ingredient has demonstrated dose responsive characteristics in murine and human basal cell carcinoma (BCC) cell lines, as well as non-small cell lung cancer (NSCLC) mice models
- Initial ADME studies (in rat dog, primate), kinase selectivity/potency, and protein binding studies have been done as have skin permeation studies of the active pharmaceutical ingredient
- ✓ Multiple clinical development opportunities- Specific, potent approach with a topical formulation for cutaneous cancers (i.e. BCC, Gorlin Syndrome, CTCL, etc.) and oral formulation to focus on broader tumor types as monotherapy or in combination



Source: Windtree Data on File

Oncology Assets: aPKCi inhibitor Topical and Oral Next Steps

- ✓ Progress the IND-enabling activities including pre-IND meeting, toxicology (including topical)
- ✓ Create a comprehensive clinical and CMC development plan that leverages the assets' unique characteristics and mechanisms of action on the highest unmet disease needs
- Decide on leading with rare disease option such as Gorlin Syndrome vs. more prevalent tumor type such as Basal Cell Carcinoma
- Ensure differentiation and **maximizing benefit vs. risk / toxicity as a key evaluation element**. For example, focus on **topical formulation** as a potential way to optimize benefit, minimize toxicity, treat earlier and improve patient compliance compared to systemic treatment options
- Fully identify and rigorously assess various opportunities across tumor types with the Scientific Advisory Committee where the mechanism is important, there are preclinical data signals and clinically feasible pathway to registration and commercialization.

WINDIKEE THERAPEUTICS

Matching Preclinical Data, Attributes, Scientific Rationale and Market Opportunities for Optimal Development Path

Early Observations of the Key Attributes of Active Pharmaceutical Agent Rational √ Molecules designed through med chem, SAR, Design and in vitro and in vivo testing Selectivity √ High degree of kinome selectivity **Biomarker** √ There is potential for a biomarker-driven approach targeting aPKCi/Gli-1/K-RAS positive tumors Activity Potential for ✓ aPKCi is a potential GLI regulator; upregulation of Less GLI occurs in resistance Resistance ✓ Preliminary PK and ADME characterization has been PK done in rodent, dog and primates. Tolerability has been good in these studies ✓ Dose dependent potential and potential biomarker **Therapeutic** activity observed across in vitro murine and human Index BCC cells lines and in explanted human BCC cells from Moh's sections

Cutaneous Malignancies (lead)

 Assessment may include Basal Cell Carcinoma (BCC), Gorlin Syndrome, Cutaneous T-Cell Lymphoma (CTCL), etc.

Oral, Systemic Treatment Tumors

 Assessment may include Non-Small Cell Lung (NSCL), Pancreatic, Colorectal, Ovarian, Acute Myeloid Leukemia (AML)





Source: Windtree Data on File

Financial and Deal Summary

Cash

| March 31, 2024 | \$2.5M | | | |
|--------------------------|---------|--|--|--|
| Common Stock Outstanding | | | | |
| June 30, 2024 | 591,909 | | | |

Driving Capital Efficiency to Program Investment

- In 2023, significantly reduced company expenses and cash burn (28%) via out-licensing KL4 platform, focusing resources on istaroxime lead priority program
- Plans for 2024 include further significant cash burn reductions to be achieved

Completed Deals- \$217MM in Potential Milestones Plus Royalties

- · Istaroxime, Dual-Mechanism SERCA2a Activators, Rosta
 - o Exclusive Greater China regional license to Lee's Pharm
 - Potential proceeds: Up to \$138.1 million in potential milestone payments, low double-digit % royalties;
 Partner pays for development, regulatory and commercial costs
- AEROSURF / KL4 Platform
 - o Exclusive global license to Lee's Pharm and Zhaoke
 - Potential proceeds: Up to \$78.9 million in potential milestone payments, low double-digit % royalties;
 Partner pays for all costs

Potential Next Deal

 Highly engaged BD activity for global (ex-Greater China) license for Istaroxime, SERCA2a Activators

